

SF Eel River Bibliography

- Aalto, K. R. (1976). Sedimentology of a melange: Franciscan of Trinidad, California. *Journal of Sedimentary Petrology* 46: 913-929.
- Aalto, K. R. (1981). Multistage melange formation in the Franciscan Complex, northernmost California. *Geology* 9(12): 602-607.
- Adams et al. (1994). Silviculture terminology. from http://oak.snr.missouri.edu/silviculture/silviculture_terminology.htm.
- Adams, P. B., L. B. Boydston, et al. (2011). California Coastal Salmonid Population Monitoring: Strategy, Design, and Methods. *Fish Bulletin* 180. California Department of Fish and Game: 80.
- Adams, P. W. and H. A. Froehlich (1981). *Compaction of Forest Soils - A Pacific Northwest Extension Publication*. PNW 217: 16.
- Agency for Toxic Substances and Disease Registry (2005). Public Health Assessment – Laytonville Landfill, Laytonville, Mendocino County, California. EPA facility ID: CAD000065532. Prepared by the California Department of Health Services and the US Department of Health and Human Services. Atlanta, Georgia. 77 p.
- Agrawal, A., R. S. Schick, et al. (2005). Predicting the potential for historical coho, Chinook and steelhead habitat in Northern California. US Department of Commerce. NOAA-TM-NMFS-SWFSC-379: 34.
- Albin, D. and P. Law (2006). Assessment of environmental effects on salmonids, with emphasis on habitat restoration for coho salmon, in the Mendocino Coast Hydrologic Unit. CA Department of Fish and Game: 70.
- Allan, J. D. (2004). Landscapes and riverscapes: the influence of land use on stream ecosystems. *Annual Review of Ecology, Evolution, and Systematics* 35: 257-284.
- Amaranthus, M. P., R. M. Rice, et al. (1985). Logging and Forest Roads Related to Increased Debris Slides in Southwestern Oregon. *Journal of Forestry* Vol. 83(No. 4): 229-233.
- Anderson, H.W. (1971). Relative contributions of sediment from source areas and transport processes. In: A Symposium on Forest Land Uses and Stream Environment, 1970. Oregon State University, Corvallis. P. 55-63.
- Anderson, T.K. (2008). Inferring bedrock uplift in the Klamath Mountains Province from river profile analysis and digital topography, A Thesis In Geosciences, Submitted to the Graduate Faculty of Texas Tech University.
- Anderson, T.K. (2009). Inferring bedrock uplift in the Klamath Mountains Province from river profile analysis and digital topography. Masters of Geosciences Thesis, Texas Tech University.
- Armour, C. L. (1991). Guidance for Evaluating and Recommending Temperature Regimes to Protect Fish. US Fish and Wildlife Service. *Biol. Rep.* 90: 13.
- Armour, C.L., D.A. Duff, and W. Elmore. 1991. The effects of livestock grazing on riparian and stream ecosystems. *Fisheries* Vol 16:1, 7-11.
- Baker, P. and F. Reynolds (1986). Life history, habitat requirements, and status of coho salmon in California. Report to the California Fish and Game Commission. Sacramento, California.
- Barbour, E. and L.M. Kueppers. (2012). Conservation and management of ecological systems in a changing California. *Climate Change* 111 (1): 135-163.
- Barnett, T.P., J.C. Adam, and D.P. Lettenmaier. (2005). Potential impacts of a warming climate on water availability in snow-dominated regions. *Nature*. Vol. 438. 303-309.

- Barnhart, R. A. (1986). Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Pacific Southwest) - Steelhead. U.S. Fish and Wildlife Service Biological Report 82(11.60), U.S. Army Corps of Engineers, TR EL-82-4: 24.
- Barnhart, R. A. (1994). Salmon & Steelhead Populations of the Klamath-Trinity Basin, California. In: Proceedings of the Klamath Basin Fisheries Symposium. March 1994.
- Bartholow, J. M. (2005). Recent Water Temperature Trends in the Lower Klamath River, California. North American Journal of Fisheries Management 25: 152-162.
- Bates, K. (1999). Fish Passage Design at Road Culverts. Wahsington Department of Fish and Wildlife, Habitat Lands Program and Environmental Engineering Division: 12.
- Battin, J., M. W. Wiley, et al. (2007). Projected impacts of climate change on salmon habitat restoration. Proceedings of the National Academy of Sciences (PNAS) 104(16): 6720-6725.
- Becker, G. S. and I. J. Reining (2009). Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources of the Eel River watershed, California. Center for Ecosystem Management and Restoration, Oakland, CA: 310.
- Beechie, T., H. Imaki, et al. (2012). Restoring Salmon Habitat for a Changing Climate. River Research and Applications: 22.
- Beechie, T. J., G. Pess, P. Kennard, R.E. Bilby, and S. Bolton. (2000). Modeling recovery rates and pathways for woody debris recruitment in northwestern Washington streams. North American Journal of Fisheries Management 20: 436-452.
- Behrenfeld, M.J., R.T. O'Malley, D.A. Seigel, C.R. McClain, J.L. Sarmiento, G.C. Feldman, A.J. Milligan, P.G. Falkowski, R.M. Letelier, and E.S. Boss. (2006). Climate-driven trends in contemporary ocean productivity. Nature. Volume 444: 752-755.
- Bell, M.C. (1986). Fisheries handbook of engineering requirements and biological criteria. Fish Passage Development and Evaluation Program. U.S. Army Corps of Engineers. 209pp.
- Benda, L. and P. Bigelow (2011). On the dynamics of wood in Northern California streams: recruitment, storage, transport, and function. Journal of Forest Ecology and Management. In preparation: 49.
- Berggren, T. J. and M. J. Filardo (1993). An Analysis of Variables Influencing the Migration of Juvenile Salmonids in the Columbia River Basin. North American Journal of Fisheries Management 13: 48-63.
- Bickner, F. (1985). Relative dating and geological interpretation of thirteen fluvial terraces of the Eel River, northern California [abs]. Geological Society of America Abstracts with Programs 17(6).
- Bilby, R.E. and J.W. Ward. (1989). Changes in characteristics and function of woody debris with increasing size in streams in western Washington. Transactions of the American Fisheries Society 118: 368-378.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L., Murphy, K. V. Koski, and J. R. Sedell. (1987). Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. Streamside management: forestry and fishery interactions. Institute of Forest Resources Contribution Number 57, University of Washington, Seattle.
- Bjorkstedt, E. P., B. C. Spence, et al. (2005). An analysis of historical population structure for Evolutionarily Significant Units of Chinook salmon, coho salmon, and steelhead in the North-Central California Coast Recovery Domain, NOAA Technical Memorandum NMFS-SWFSC-382: 210.
- Bjornn, T. C. and D. W. Reiser (1991). Habitat Requirements of Salmonids in Streams. Influences of forest and rangeland management on salmonid fishes and their habitats. W. R. Meehan, ed. Evans City, PA, American Fisheries Society Special Publication 19, Chapter 4: 83-138.
- Blaha, L., P. Babica, et al. (2009). Toxins produced in cyanobacterial water blooms - toxicity and risks. Interdisciplinary Toxicology 2(2): 36-41.

- Bleier, C., S. Downie, et al. (2003). North Coast Watershed Assessment Program methods manual. CA Resources Agency and CA Environmental Protection Agency. Sacramento, CA: 191.
- Brown, A. V., M. M. Lyttle, et al. (1998). Impacts of Gravel Mining on Gravel Bed Streams. Transactions of the American Fisheries Society 127: 979-994.
- Brown, C. J. and R. Haley (1974). A preliminary analysis of the potential for enhancing salmon and steelhead fisheries in the Eel River basin. Memorandum Report. California Department of Fish and Game, Sacramento: 13 p.
- Brown, L. R., and P. B. Moyle. (1981). The impact of squawfish on salmonid populations: A review. North American Journal of Fisheries Management 1:104-111.
- Brown, L.R. and P.B. Moyle. (1997). Invading species in the Eel River, California: successes, failures, and relationships with resident species. Environmental Biology of Fishes 49: 271-291.
- Brown, L. R., P. B. Moyle, et al. (1994). Historical Decline and Current Status of Coho Salmon in California. North American Journal of Fisheries Management 14(2): 237-261.
- Brown, R. B. (2003). Soil texture. Fact Sheet SL-29. University of Florida Institute of Food and Agricultural Sciences Extension. 8 p.
- Brown, W. M., III and J. R. Ritter (1971). Sediment transport and turbidity in the Eel River basin, California. Water Supply Paper, United States Geological Survey: 67 p.
- Brownell, N. F., W. M. Kier, et al. (1999). Historical and current presence and absence of coho salmon in the northern California portion of the southern Oregon-northern California evolutionarily significant unit. Kier & Associates, Sausalito, CA: 59 p.
- Bryan, R.B. (2000). Soil erodibility and processes of water erosion on hillslope. Geomorphology 32: 385-415.
- Building Products.com (2008). Mendocino gives former Palco fresh start. Building Products News. 9/2/2008. 2 p.
- Busby, P.J., T.C. Wainright, G.J. Bryant, L. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. (1996). Status review of west coast steelhead from Washington, Idaho, Oregon, and California. US Department of Commerce, NOAA Tech. Memo. 275 p.
- Cadkin, J. (2002). Understanding dynamic segmentation – working with events in ArcGIS 8.2. ESRI white paper. ArcUser October-December 2002: 40-43.
- CalFish. (2012). California cooperative anadromous fish and habitat data program. Accessed in 2012 at: <http://www.calfish.org/>
- CA Department of Fish and Game (CDFG) (1965). California Fish and Wildlife Plan. 3, Supporting Data. Part B, Inventory (Salmon-Steelhead and Marine Resources).
- CA Department of Fish and Game (1992). Historical distribution and recent trends of summer steelhead, *Oncorhynchus mykiss* in the Eel River, California. Report by Weldon E. Jones.
- CA Department of Fish and Game (CDFG) (1994). Petition to the California Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. California Department of Fish and Game Report, 35 p. plus appendices.
- CA Department of Fish and Game (CDFG) (1997). Eel River salmon and steelhead restoration action plan (Final review draft). Inland Fisheries Division: 54 p. plus appendices.
- CA Department of Fish and Game (CDFG) (2002). Status review of California coho salmon north of San Francisco. Report to the California Fish and Game Commission: 336.
- CA Department of Fish and Game (CDFG) (2004) Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. California Department of Fish and Game, Native Anadromous Fish and Watershed Branch, Sacramento, CA. 594 p.

- CA Department of Fish and Game (CDFG) (2009). Stream Inventory Report – Bear Canyon Creek: 36.
- CA Department of Fish and Game (CDFG) (2010). Lower Eel River Watershed Assessment. Coastal Watershed Planning and Assessment Program. Department of Fish and Game.
- CA Department of Fish and Wildlife (CDFW) (2012). A “growing” issue: environmental impacts of medical marijuana in northern California. CA Department of Fish and Game – Northern Region. Draft briefing – July 2012: 6.
- CA Department of Fish and Wildlife (CDFW) (2014). State Streamlines Domestic Water Tank Storage Process In Response to Drought. Press Release. Retrieved from: <http://cdfgnews.wordpress.com/2014/03/13/state-streamlines-domestic-water-tank-storage-process-in-response-to-drought/>
- CA Department of Forestry and Fire Protection (CalFire) (2003). Nonindustrial Timber Management Plans in California - A Report to the Legislature: 18.
- CA Department of Forestry and Fire Protection (CalFire) (2005). Humboldt-Del Norte Unit 2005 Fire Management Plan. 77.
- CA Department of Forestry and Fire Protection (CalFire) (2012). CA Forest Practice Rules 2012. Title 14, California Code of Regulations. Sacramento, California. Chapters 4 and 4.5.
- CA Department of Forestry and Fire Protection (CalFire) (2012). Humboldt-Del Norte Unit Strategic Fire Management Plan: 51.
- CA Department of Water Resources. (CDWR) (1974). Water Management for Fishery Enhancement on North Coastal Streams. Report by Douglas N. Denton
- CA Department of Water Resources (CDWR) (2003a). California's Groundwater Bulletin 118, Update 2003: 265.
- CA Department of Water Resources (2003b). Oroville FERC Relicensing (Project No. 2100) Appendix A: Matrix of life history and habitat requirements for Feather River fish species - Chinook salmon: 30.
- CA Geological Survey (CGS). (2011). Types of landslides. Webpage accessed October 2013: http://www.conservation.ca.gov/cgs/geologic_hazards/landslides/Pages/Index.aspx#landslidetypes
- CA State Parks (2009). Application to: American Rivers NOAA Community-Based Restoration Program Partnership – Fall 2009. Benbow Dam removal engineering design., North Coast Redwoods District.
- CA State Parks (2012). The Eel River Floods of 1955 and 1964. Retrieved December, 2012, from http://www.parks.ca.gov/?page_id=25896.
- Cafferata, P., T. Spittler, et al. (2004). Designing Watercourse Crossings for Passage of 100-year Flood Flows, Wood, and Sediment. California Forestry Report No. 1: 39.
- Cafferata, P. H. and a. T. E. Spittler (1998). Logging Impacts of the 1970's vs. the 1990's in the Caspar Creek Watershed, USDA Forest Service Gen. Tech. Rep. PSW-GTR-168: 13.
- Cannata, S. and T. Hassler (1995). Juvenile salmonid utilization of the Eel River estuary. California Cooperative Fishery Research Unit - Humboldt State University. Arcata: 4.
- Carnefix, G. and C. A. Frissell (2009). Aquatic and other environmental impacts of roads: the case for road density as an indicator of human disturbance and road-density reduction as a restoration target; A concise review. Science Publication 09-001. Pacific Rivers Council. Portland, OR and Polson, MT.
- Carter, K. (2005). The Effects of Temperature on Steelhead Trout, Coho Salmon, and Chinook Salmon Biology and Function by Life Stage - Implications for Klamath Basin TMDLs, California Regional Water Quality Control Board, North Coast Region: 26.
- Carver, G. A., A. S. Jayko, D. W. Valentine, and W. H. Li. (1994). Coastal uplift associated with the 1992 Cape Mendocino earthquakes, northern California, *Geology*, 22, 195-198.

- Castillo, D. A. and W. L. Ellsworth (1993). Seismotectonics of the San Andreas Fault System Between Point Arena and Cape Mendocino in Northern California Implications for the Development and Evolution of a Young Transform. *Journal Of Geophysical Research* 98(B4): 6543-6560.
- Cederholm, C.J., L.M. Reid and E.O. Salo. (1980). Cumulative effects of logging road sediment on salmonid populations of the Clearwater River, Jefferson County, Washington. In: *Proceedings of Conference on Salmon Spawning Gravel: A Renewable Resource in the Pacific Northwest?* Pages 38-74. Report 19. Wash. State University, Water Research Center, Pullman, Washington.
- Chamberlin, T. W., R. D. Harr, et al. (1991). Timber harvesting, silviculture, and watershed processes. *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. W. R. Meehan. Bethesda, MD, American Fisheries Society, Special Publication Number 19.
- Chapman, D.W. (1988). Critical review of variables used to define effects of fines in redds of large salmonids. *Transactions of the American Fisheries Society* 117(1): 1-21.
- Clarke Jr, S.H. (1992). Geology of the Eel River Basin and Adjacent Region: Implications for Late Cenozoic Tectonics of the Southern Cascadia Subduction Zone and Mendocino Triple Junction (1). *American Association of Petroleum Geologists Bulletin* 76(2): 199-224.
- Coder, K. D. (2000). Causes of Soil Compaction. University of Georgia Warnell School of Forest Resources Extension Publication FOR00-6: 3.
- Collins, B. M., J. D. Miller, et al. (2008). Interactions Among Wildland Fires in a Long-Established Sierra Nevada Natural Fire Area. *Ecosystems* 12: 114-128.
- Consumer News and Business Channel, (CNBC) (2012). Marijuana Inc. Inside Americas Pot Industry, Television Broadcast.
- Cover, M., C. May, V. Resh, and W. Dietrich. (2006). Technical report on quantitative linkages between sediment supply, streambed fine sediment, and benthic macroinvertebrates in streams of the Klamath National Forest. Prepared by UC Berkeley for USFS KNF Agreement #03-CR-11052007-042.
- Day, J. S. (1966). Single Pool Creel Census, Eel River, Humboldt County, 1966. California Department of Fish and Game: 7.
- Dengler, L. (2008). The 1906 Earthquake on California's North Coast. *Bulletin of the Seismological Society of America* 98(2): 918-930.
- Dominguez, L. G. and C. J. Cederholm. (2000). Rehabilitating stream channels using large woody debris with considerations for salmonid life history and fluvial geomorphic processes. In: *Sustainable Fisheries Management: Pacific Salmon*, E. E. Knudsen, C. R. Steward, D. D. MacDonald, J. E. Williams, and D. W. Reiser, eds: 545-563. Lewis Publishers, New York, New York, USA.
- Downie, S. (1995). State of the Eel. An Overview of the Eel Basin with Current Issues, Questions, and Solutions. Summarized from the EelSwap Meeting March 25, 1995: 46.
- Dwire, K. A., K. E. Meyer, et al. (2011). A Guide to Fuels Management in Riparian Areas of the Interior West. JFSP Project Number 09-2-01-20 (May 2011). Fort Collins, CO, USFS Rocky Mountain Research Station: 31.
- Dyett and Bhatia (2002). Humboldt 2025 General Plan Update - Natural Resources and Hazards Report. Volume II: Detailed Watershed Characteristics and Regulatory Framework Analysis.
- Easthouse, K. (2013). Scientist: pot takes millions of gallons from 2 watersheds. *Independent*: 1-2.
- Ebersole, J.L., W.J. Liss, C.A. Frissell. (1997). Restoration of stream habitats in the Western United States: Restoration as Reexpression of Habitat Capacity. *Environmental Management* 21(1): 1-14.
- Ebersole, J. L., J. P. Wigington Jr., et al. (2006). Juvenile coho salmon growth and survival across stream network seasonal habitats. *Transactions of the American Fisheries Society* 135: 1681-1697.
- Ellen, S. D., J. de la Fuente, et al. (2007). Overview of the Ground and Its Movement in Part of Northwestern California, USDA Forest Service: 335-346.

- Everest, F.H. and G.H. Reeves (2006). Riparian and aquatic habitats of the Pacific Northwest and southeast Alaska: ecology, management history, and potential management strategies. Gen. Tech. Rep. PNW-GTR-692. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 130 p.
- Evers, B. (2010). The Green Rush: Regulating a Growing Industry. Urban & Environmental Policy Institute-Occidental College: 80.
- Extence, C. A., R. P. Chadd, et al. (2011). The assessment of fine sediment accumulation in rivers using macro-invertebrate community response. *River Research and Applications* 29: 17-55.
- Federal Interagency Stream Restoration Working Group (FISRWG). (1998). Stream corridor restoration: principles, processes, and practices. GPO Item No. 0120-A, SuDocs No. A57.6/2:EN3/PT.653. Available at: http://www.usda.gov/stream_restoration.
- Feist, B. E., E. A. Steel, et al. (2003). The influence of scale on salmon habitat restoration priorities. *Animal Conservation* 6: 271-282.
- Fire and Resource Assessment Program (FRAP) (2003). The Changing California Forest and Range 2003 Assessment. California Department of Forestry and Fire Protection (CalFire). Sacramento, CA.
- Five Counties (5 C) Salmon Conservation Program (2002). A water quality and stream habitat protection manual for county road maintenance in northwestern California watersheds. Administrative draft. 324.
- Flannigan, M. D., B. J. Stocks, et al. (2000). Climate Change and Forest Fires. *The Science of the Total Environment* 262(2000): 221-229.
- Flosi, G., S. Downie, et al. (1998). California salmonid stream habitat restoration manual. Sacramento, CA, California Department of Fish and Game, Inland Fisheries Division.
- Flosi, G., S. Downie, et al. (2010). California Salmonid Stream Habitat Restoration Manual, Fourth Edition. California Department of Fish and Game, State of California. 1, Habitat Restoration Manual; 2, Fish Passage evaluation at stream crossings.
- Fore, L. S., J. R. Karr, et al. (1996). Assessing invertebrate responses to human activities: evaluating alternative approaches. *Journal of the North American Benthological Society* 15(2): 212-231.
- Forest Ecosystem Management Assessment Team (FEMAT) (1993). Forest Ecosystem Management: An Ecological, Economic, and Social Assessment. U. F. Service, BLM, USFWS et al. Portland, Oregon: 141.
- Foster, M. (2010). Knickpoints in Tributaries of the South Fork Eel River, Northern California. Master's Thesis, Humboldt State University, Arcata, CA.
- Foster, M. A. and H. M. Kelsey (2012). Knickpoint and knickzone formation and propagation, South Fork Eel River, northern California. *Geosphere* 8(2): 1-14.
- Fried, J. S., M. S. Torn, et al. (2004). The Impact of Climate Change on Wildfire Severity: a Regional Forecast for Northern California. *Climate Change* 64: 169-191.
- Friedrichsen, G. L. (1998). Eel River water quality monitoring project. Submitted by the Humboldt County Resource Conservation District to the CA State Water Quality Control Board. Final report, 205(J) Contract #5-029-250-2: 78.
- Friedrichsen, G. L. (2003). Eel River baseline temperature monitoring. Final report submitted to CA Department of Fish and Game by the Humboldt County Resource Conservation District. Eureka, CA: 32.
- Frissell, C.A. (1993). Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (USA). *Conservation Biology* 7 (2): 342-354.
- Frissell, C.A., P. Morrison, J. Kramer, and M. Mentor. (2000). Conservation Priorities: An Assessment of Freshwater Habitat for Puget Sound Salmon. Trust for Public Land, Northwest Region.

- Fry, D.L. and S.L. Stephens. (2006). Influence of humans and climate on the fire history of a ponderosa pine-mixed conifer forest in the southeastern Klamath Mountains, California. *Forest Ecology and management* 223: 428-438.
- Fulton, S. and B. West (2002). *Forestry Impacts on Water Quality*. Southern forest resource assessment. Gen. Tech. Rep. SRS-53. D.N. Wear and J.G. Greis. Asheville, N.C., US Forest Service Southern Research Station: 635.
- Furbish, D. J., E. M. Childs, P.K. Haff, M.W. Schmeeckle. (2009). Rain splash of soil grains as a stochastic advection-dispersion process, with implications for desert plant-soil interactions and land-surface evolution." *Journal of Geophysical Research* 114(F00A03): 18.
- Furniss, M. J., T. D. Roelofs, et al. (1991). Chapter 8 - Road Construction and Maintenance. *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society. Special Publication 19: 297-323.
- Galehouse, J. S. and J. J. Lienkaemper (2003). Inferences drawn from two decades of alignment array measurements of creep on faults in the San Francisco Bay Region. *Bulletin Seismological Society America*. 93: 2415-2433.
- Gallagher, S. P. (2001). Results of the 2000-2001 Coho Salmon (*Oncorhynchus kitch*) and Steelhead (*Oncorhynchus mykiss*) spawning surveys on the Noyo River, California. California State Department of Fish and Game, 1031 South Main, Suite A, Fort Bragg, CA 95437. 44pp.
- Garwood, J. (2012). Historic and Recent Occurrence of Coho Salmon (*Oncorhynchus kisutch*) in California Streams within the Southern Oregon/Northern California Evolutionarily Significant Unit. . Fisheries Branch Administrative Report, 2012-03.: 81.
- Gendaszek, A. S., J. Stone, et al. (2006). Spatial Models of Erosion in Mountain Catchments Constrained by Cosmogenic ¹⁰Be. *American Geophysical Union, Fall Meeting 2006* 1: 1443.
- Gerstein, J.M. 2005. *Monitoring the Effectiveness of Instream Habitat Restoration*. University of California, Center for Forestry, Berkeley, CA. 45 p.
- Ghestem, M., R. C. Sidle, and A. Stokes. (2011). The influence of plant root systems on subsurface flow: implications for slope stability. *BioScience* 61(11): 869-879.
- Gibbons, D. R. and E. O. Salo (1973). *An Annotated Bibliography of the Effects of Logging on Fish of the Western United States and Canada*. General Technical Report PNW-10. USDA Forest Service. Portland, OR, Pacific Northwest Forest and Range Experiment Station: 145.
- Glick, P., A. Staudt, and B. Stein. (2009). *A New Era for Conservation: Review of Climate Change Adaptation Literature*. National Wildlife Federation. 69 p.
- Goldfinger, C., C. H. Nelson, et al. (2003). Holocene Earthquake Records From the Cascadia Subduction Zone and Northern San Andreas Fault Based on Precise Dating of Offshore Turbidites. *Annual Reviews of Earth and Planetary Sciences* 31: 555-557.
- Good, T. P., R. S. Waples, et al. (2005). Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-NWFSC-66: 598.
- Greacen, S. (2012). Statement by Scott Greacen, Executive Director, Friends of the Eel River Before the Joint Committee on Fisheries and Aquaculture 39th Annual Fisheries Forum February 22, 2012
- Green Diamond Resource Company (2006). *Aquatic habitat conservation plan and candidate conservation agreement with assurances*. Prepared for National Marine Fisheries Service and US Fish and Wildlife Service. Appendix C1. Channel and habitat typing assessment: 26.
- Gregory, S. V. and P. A. Bisson (1997). Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. *Pacific salmon and their ecosystems: status and future options*. D. J. Stouder, P. A. Bisson and R. J. Naiman. New York, N.Y., Chapman and Hall: 277-314.

- Gregory, S.V., F.T. Swanson, W.A. McKee, and K.W. Cummins. (1991). An ecosystem perspective of riparian zones. *BioScience* 41(8): 540-551.
- Groot, C. and L. Margolis (1991). *Pacific Salmon Life Histories*. Vancouver, Canada, UBC Press.
- Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes. (2001). Forest roads: a synthesis of scientific information. General Technical Report PNW-GTR-509. USDA Forest Service. Portland, OR, Pacific Northwest Research Station. 103 p.
- Haley, R. (1970). Changes in the Eel River estuary and its fisheries. Memo to Files. California Department of Fish and Game, Sacramento: 7 p.
- Halligan, D. (1998). Final Report - 1997 fisheries monitoring program for gravel extraction operations on the Mad, Eel, Van Duzen, and Trinity Rivers. Natural Resources Management Corporation. Eureka, California.
- Hamlet, A.F., P.W. Mote, M.P. Clark, and D.P. Lettenmaier. (2005). Effects of temperature and precipitation variability on snowpack trends in the western United States. *Journal of Climate* 18: 4545-4561.
- Harr, R.D., R.L. Fredriksen, and J. Rothacher. (1979). Changes in streamflow following timber harvest in southwestern Oregon. USDA Forest Service Research Paper PNW-249. Pacific Northwest Forest and Range Experiment Station, Portland, OR. 22 p.
- Harris, L. (1995). Summer 1995 salmonid survey through Benbow Lake State Recreation Area. Humboldt State University Fisheries Department. Arcata, California: 66.
- Hart, E. W. and W. A. Bryant (2001). Complete report for Maacama fault zone, southern section (Class A) No. 30b. Quaternary fault and fold database of the United States, US Geological Survey website, <http://earthquakes.usgs.gov/hazards/qfaults>.
- HartCrowser (2004). Lower Eel River and Eel River Delta Watershed Analysis, Scotia, California: cumulative watershed effects assessment, Prepared for Pacific Lumber Company, Scotia, CA: 70.
- Harvey, B. C. and R. J. Nakamoto (1999). Diel and seasonal movements by adult Sacramento pikeminnow (*Ptychocheilus grandis*) in the Eel River, northwestern California. *Ecology of Freshwater Fish* 8: 209-215.
- Harvey, B. C., J. L. White, and R. J. Nakamoto. (2002). Habitat relationships and larval drift of native and nonindigenous fishes in neighboring tributaries of a coastal California river. *Transactions of the American Fisheries Society* 131:159-170.
- Hassler, T. J., C. M. Sullivan, et al. (1988). Distribution of coho salmon in California. California Cooperative Fishery Research Unit, Humboldt State University, Arcata, CA: 21 p.
- Hayhoe, K., D. Cayan, et al. (2004). Emissions pathways, climate change, and impacts on California. *Proceedings of the National Academy of Sciences* 101 (34): 12422-12427.
- Healey, M. C. (1991). Life History of Chinook Salmon (*Oncorhynchus tshawytscha*). *Pacific Salmon Life Histories*. C. Groot and L. Margolis. Vancouver, Canada, UBC Press: 313-393.
- Hicks, B. J., J. D. Hall, et al. (1991). Responses of Salmonids to Habitat Changes. Influences of forest and rangeland management on salmonid fishes and their habitats. W. R. Meehan. Bethesda, MD, American Fisheries Society. Special Publication 19: 483-518.
- Higgins, P. (2013). Eel River Recovery Project - 2012 Citizen Assisted Monitoring Water Temperature, Flow and Toxic Algae. 28 p.
- Hillborn, R. and C.J. Walters. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics, and Uncertainty*. Chapman and Hall, New York. 570 p.
- Hoehn, R. C. and a. B. W. Long (2008). Toxic Cyanobacteria (Blue-Green Algae): An Emerging Concern: 20.
- Holschuh, A. (2001). Big problem, little dam. *North Coast Journal*. Humboldt County.

- Hopelain, J.S. (1998). Age, growth, and life history of Klamath River Basin steelhead trout (*Oncorhynchus mykiss irideus*) as determined from scale analysis. CDFG Inland Fisheries Division Administrative Report No. 98-3. 25 p.
- Hough, L. (2010). Bear Harbor: Dreams Realized, Lost and Forgotten. Kelley House Museum. Mendocino CA: 2.
- Hubbard, R. K., G. L. Newton, et al. (2004). Water Quality and the Grazing Animal. Journal of Animal Science 82(13 (suppl)): E255-E263.
- Humboldt County (2000). General Plan Update Volume II - Communities. Avenue of the Giants Community Plan, Chapter 4 - Public Services and Facilities. II.
- Humboldt County (2007). State of the Industry Report 2007 - Forest Products. Prosperity! The North Coast Strategy for Economic Development. Humboldt County, CA.
- Humboldt County (2012). Humboldt County General Plan Update: Draft Environmental Impact Report. Available at: <https://co.humboldt.ca.us/gpu/>
- Humboldt County Department of Health and Human Services (HCDHHS), Division of Environmental Health (2011). Press Release: Blue-Green Algae Warning. Retrieved 11/15/2012, from <http://co.humboldt.ca.us/hhs/phb/environmentalhealth/pressreleases/default.asp?title=Press+Releases&page=pressReleaseDetail.asp&ID=184>.
- Humboldt County Resource Conservation District (2002). South Fork Eel River Resource Conservation Strategy Plan. Eureka, CA.
- Humboldt County Sheriff's Office. (2012). County of Humboldt Flood Contingency Plan to the Emergency Operations Plan, Humboldt Operational Area. 58 p. Available at: <https://co.humboldt.ca.us/sheriff/oes/default.asp?url=contingency-plans/default.asp>
- Humboldt Lafco (Local Agency Formation Commission) (2009). Miranda Community Services District - Municipal Service Review for Updating the Sphere of Influence Report: 14.
- Humboldt Lafco (Local Agency Formation Commission) and GSD (Garberville Sanitation District) (2011). Draft Municipal Service Review and Sphere of Influence Update: 34.
- Humboldt Redwoods State Park (2012). Humboldt Redwoods State Park History. Retrieved December, 2012, from http://humboldtreedwoods.org/park_history.
- Jack Monschke Watershed Management (JMWM) (2000). Salmon Creek Watershed Assessment, phase one report. 56 p.
- Jager, D., R. D. LaVen, et al. (1981). Watershed Review of Bull Creek, Humboldt State University Foundation.
- Jebens, B. (1999). The Biogeography of *Sequoia sempervirens*. Retrieved February 8, 2013, from <http://online.sfsu.edu/bholzman/courses/Fall99Projects/redwood.htm>.
- Jensen, A. (2000). Final Report - 1999 fisheries monitoring program for gravel extraction operations on the Mad, Eel, Van Duzen, and Trinity Rivers. Natural Resources Management Corporation. Eureka, California.
- Johnson, D.B. (1985). A biological and physical inventory of Clear Creek, Orofino Creek, and the Potlatch River, tributary stream of the Clearwater River, Idaho. Nez Perce Tribe, Fisheries Resource Management. 292 p.
- Johnstone, J.A. and T.E. Dawson. (2010). Climatic context and ecological implications of summer fog decline in the coast redwood region. PNAS 107(10): 4533-4538.
- Joint Natural Resources Cabinet (2002). State of Washington - roadmap for salmon habitat conservation at the watershed level. Olympia, WA: 46.

- Junk, W.J., P.B. Bayley, and R.E. Sparks. (1989). The flood pulse concept in river-floodplain systems. P. 110-127 in: D.P. Dodge, ed. Proceedings of the International Large River Symposium. Can. Spec. Publ. Fish. Aquat. Sci. 106.
- Karr, J.R. and D.R. Dudley. (1981). Ecological perspective on water quality goals. Environmental Management 5: 55-68.
- Kauffmann, M. (2013). South Fork Eel River Wilderness / Red Mountain Unit. Conifer Country - Field notes from plant explorations, Backcountry Press. **2013**. Accessed 5/13/2014.
<http://blog.conifercountry.com/2010/11/06/SFER-wilderness--redmtn.aspx>
- Kelly, M., K. A. Tuxen, and F.R. Kearns (2004). Geospatial informatics for management of a new forest disease: Sudden Oak Death. Photogrammetric Engineering and Remote Sensing 70(9): 1001-1004.
- Kelsey, H. M. (1977). Landsliding, channel changes, sediment yield and land use in the Van Duzen River Basin, north coastal California. Ph. D. Thesis, University of California, Santa Cruz, CA.
- Kelsey, H. M. (1978). Earthflows in Franciscan Melange, Van Duzen River Basin, California. Geology 6: 361-364.
- Kelsey, H. M. (1980). A sediment budget and an analysis of geomorphic process in the Van Duzen River basin, north coastal California, 1941-1975: Summary. Geological Society of America Bulletin Part I, v. 91(no. 4): 6.
- Kelsey, H. M. and A. O. Allwardt (1975). Geologic map of the Van Duzen River basin. In Van Duzen River basin environmental atlas. California Department of Water Resources, North District, Plate 8, Sheets A-1.
- Kelsey, H. M. and G. A. Carver (1988). Late Neogene and Quaternary Tectonics associated with Northward Growth of the San Andreas Transform Fault, Northern California. Centennial Special Volume 2, Geological Society of America, Boulder, CO.
- Keppeler, E. T. and R. R. Ziemer (1990). Logging Effects on Streamflow: Water Yield and Summer Low Flows at Caspar Creek in Northwestern California. Water Resources Research 26(7): 1669-1679.
- Klein, R., D. Jager, B. Trush, and A. Lehre. (2011). County of Humboldt Extraction Review Team (CHERT) 2009-10 Post-Extraction Final Report. Prepared for the Humboldt County Board of Supervisors May 20, 2011. 17 p.
- Knox, A.K., K.W. Tate, R.A. Dahlgren, and E.R. Atwill. (2007). Management reduces E. coli in irrigated pasture runoff. California Agriculture 61(4): 159-165.
- Kocher, S. D., J. M. Gerstein, et al. (2007). Rural Roads: a Construction and Maintenance Guide for California Landowners. University of California Division of Agriculture and Natural Resources. Oakland, CA. Publication 8262: 23.
- Koehler, R.D., K.I. Kelson, G. Matthews, K.H. Kang, and A.D. Barron. (2001). Mapping prehistoric, historic, and channel sediment distribution, South Fork Noyo River: a tool for understanding sources, storage, and transport. USFS Gen. Tech. Rep. PSW-GTR-194. 371-381.
- Kubicek, P. F. (1977). Summer water temperature conditions in the Eel River System with reference to trout and salmon. Fisheries Biology. Arcata, CA, Humboldt State University. Master of Science: 210.
- LACO Associates. (2013). Initial study and environmental checklist for Alderpoint road tand replacement project – Garberville Sanitary District. LACO project No. 7714.00. Lead Agency: Garberville Sanitary District. 65 p. plus appendices.
- Laird, A., R. Klein, et al. (2000). An Evaluation of Regulations, Effects, and Management of Aggregate Mining in Northern and Central Coastal California, Trinity Associates, Arcata, CA.
- Lancaster, M. and D. C. Tuttle (2002). 5C Roads Maintenance Manual - A Water Quality and Stream Habitat Protection Manual for County Road Maintenance in Northwestern California Watersheds. from <http://www.5counties.org/roadmanual.htm>.

- Lake, P.S. (2000). Disturbance, patchiness, and diversity in streams. *Journal of the North American Benthological Society* 19(4): 573-592.
- Leitritz, E. (1970). A history of California's fish hatcheries, 1870-1960. California Department of Fish and Game. Sacramento, California, Available on calisphere, University of California online library.
- Leopold, L. B., M. G. Wolman, et al. (1964). *Fluvial Processes in Geomorphology*. San Francisco, Freeman.
- Levin, P.S. and M.H. Schiewe. (2001). Preserving salmon biodiversity. *American Scientist*, May/June 2001.
- Levins, R. (1969). Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America* 15: 237-240
- Li, H.W., K. Currens, D. Bottom, S. Clarke, J. Dambaucher, C. Frissell, P. Harris, R.M. Hughes, D. McCollough, A. McGie, K. Moore, R. Nawa, and S. Thiele. (1995). Safe havens: refuges and evolutionarily significant units. *American Fisheries Society Symposium* 17:371-380.
- Lisle, T. E. (1990). Surface Water Hydrology. *The Geology of North America*, Geological Society of America. M. G. Wolman and H. C. Riggs. 0-1: 311-314.
- Lisle, T. E. (1981a). Recovery of aggraded stream channels at gauging stations in northern California and Southern Oregon. In: Davies, Timothy R.H.; Pearce, Andrew J., editors. *Proceedings, Erosion and Sediment Transport in Pacific Rim Steeplands*. IAHS-AISH Pub. 132: 189- 211.
- Lisle, T. E. (1981b). Channel Recovery From Large Recent Floods in Northern Coastal California: Rates and Processes. In: R.N. Coates (ed.), *Proceedings, Symposium on Watershed Rehabilitation in Redwood National Park and Other Pacific Coastal Areas; 25-28 August 1981; Arcata, California*. Sacramento, California: Center for Natural Resource Studies of JMI, Inc. p. 153-160.
- Lisle, T.E. and M. B. Napolitano. (1998). Effects of recent logging on the main channel of North Fork Caspar Creek. *USDA Forest Service Gen. Tech. Rep. PSW-GTR-168*: 81-85.
- Lufkin, A. (1996). The Story of the Eel River Commercial Salmon Fishery. *The Humboldt Historian*. 44 (2): 4-8.
- Mackey, B. H. (2009). *The Contribution of Large, Slow-moving Landslides to Landscape Evolution*. PhD Dissertation. Department of Geological Sciences, University of Oregon.
- Mackey, B. H. and J. J. Roerhing (2011). Sediment yield, spatial characteristics, and the long-term evolution of active earthflows determined from airborne LiDAR and historical aerial photographs, Eel River, California. *GSA Bulletin* 123(7/8): 1560-1576.
- Mackey, J. P. (1981). Herps of the Angelo Reserve with three additions by Kenneth S. Mierzwa (85-95). Species list compiled during a 2002 herpetology field trip from Humboldt State University. Retrieved Nov. 19, 2012, from <http://cbc.berkeley.edu/manplan/herps.htm>.
- Madej, M.A. (1982). Sediment transport and channel changes in an aggrading stream in the Puget Lowland, Washington. pp. 97-108 in *Sediment Budgets and Routing in Forested Drainage Basins*. U.S. Forest Service General Technical Report PNW 141. 165 pp.
- Madej, M. A. (1999). Temporal and spatial variability in thalweg profiles of a gravel-bed river. *Earth Surface Processes and Landforms*. Vol. 24: 1153-1169.
- Madej, M.A. (2001). An analysis of bank erosion along the South Fork Eel River at Benbow Lake, California. A report to the California Department of Parks and Recreation. 42 p.
- Madej, M.A. (2011). Analysis of trends in climate, streamflow, and stream temperature in north coastal California. *Proceedings from the Fourth Interagency Conference on Research in the Watersheds*, 26-30 September 2011, Fairbanks, AK. 6 p.
- Madej, M.A. and V. Ozaki. (1996). Channel response to sediment wave propagation and movement, Redwood Creek, California, USA. *Earth Surfaces Processes and Landforms* 21: 911-927.

- Magnusson, A. and R. Hilborn. (2003). Estuarine influence on survival rates of coho (*Oncorhynchus kisutch*) and Chinook salmon (*Oncorhynchus tshawytscha*) released from hatcheries on the US Pacific Coast. *Estuaries* 26(4B): 1094-1103.
- May, C. W. and G. Peterson (2003). Kitsap Salmonid Refugia Report: 271.
- Mayer, T.D. and S.W. Naman. (2011). Streamflow response to climate as influenced by geology and elevation. *Journal of the American Water Resources Association* 47 (4): 724-738.
- McCaffery, M., T.A. Switalski, and L. Eby. (2007). Effects of Road Decommissioning on Stream Habitat Characteristics in the South Fork Flathead River, Montana. *Transactions of the American Fisheries Society* 136 (3): 553-561.
- McElhaney, P., M. H. Ruckelshaus, et al. (2000). Viable salmonid populations and the recovery of evolutionarily significant units. NOAA Technical Memo NMFS-NWFSC-42. US Department of Commerce: 156.
- McEvoy, A.F. (1986). *The Fisherman's Problem: Ecology and Law in the California Fisheries 1850-1980*. Cambridge University Press.
- McEwan, D. and a. T. A. Jackson (1996). Steelhead Restoration and Management Plan for California CA Department of Fish and Game: 244.
- McKenzie, D., Z. Gedalof, et al. (2004). Climatic change, wildfire, and conservation. *Conservation Biology* 18(4): 890-902.
- McLaughlin, R. J., S. D. Ellen, et al. (2000). Geology of the Cape Mendocino, Eureka, Garberville, and Southwestern part of the Hayfork 30 X 60 minute quadrangles and adjacent offshore area, Northern California, U.S. Department of the Interior, United States Geological Survey: 27 p.
- McLaughlin, R. J., K. R. Lajoie, et al. (1992). Tectonic framework of the Mendocino triple junction region of northern California [abs]: EOS. *Transactions of the American Geophysical Union* 73(44): 496.
- Mcleod, D. (1982). Bull Creek Population Estimate. CA Department of Fish and Game: 24.
- Meehan, W. (1991). Influences of forest and rangeland management on salmonid fishes and their habitats. *American Fisheries Society, Special Publication Number 19*, Bethesda, Maryland.
- Megahan, W. F. (1981). Effects of silvicultural practices on erosion and sedimentation in the interior West: a case for sediment budgeting. In: Baumgartner, D. M., ed. *interior West watershed management: Proceedings of the symposium; 1980 April 8-10; Spokane, WA*. Pullman, WA: Washington State University, Cooperative Extension: 169-181.
http://forest.moscowsl.wsu.edu/smp/solo/documents/GTRs/INT_280/Megahan_INT-280.php
- Menashe, E. (2001). *Bio-Structural Erosion Control: Incorporating Vegetation Into Engineering Designs to Protect Puget Sound Shorelines*. Puget Sound Research Conference. Bellevue, WA.
- Mendocino County (2009). *Mendocino County General Plan. Chapter 3 - Development Element: 3-1 - 3-116; Chapter 4 - Resource Management Element: 4-1 - 4-55*.
- Mendocino Redwood Company (MRC). (2004). *Watershed Analysis Report – Hollow Tree Creek fish habitat condition and aquatic species distribution*. 39 p. Available at: <http://www.mrc.com/plans-reports/watershed-analysis/>
- Merritts, D. J. and W. B. Bull (1989). Interpreting Quaternary uplift rates at the Mendocino triple junction, northern California, from uplifted marine terraces. *Geology* 17: 1020-1024.
- Merritts, D. J. and K. R. Vincent (1989). Geomorphic response of coastal streams to low, intermediate, and high rates of uplift, Mendocino triple junction region, northern California. *Geological Society of America Bulletin* 101: 1373-1388.
- Merritts, D. J., K. R. Vincent, et al. (1994). Long river profiles, tectonism, and eustasy: A guide to interpreting fluvial terraces: in Ellis, M. and Merritts, D., editors, *Tectonics and Topography, Special Section Part II*. *Journal of Geophysical Research* 99(B7): 14,031-014,050.

- Mertz, D. F., A. J. Weinrich, et al. (2001). Alkaline Intrusions In A Near-trench Setting, Franciscan Complex, California: Constraints From Geochemistry , Petrology, and 40AR/39AR Chronology. *American Journal of Science* 301: 877-911.
- Monroe, G. W., F. Reynolds, et al. (1974). Natural resources of the Eel River delta. Coastal Wetland Series #9, California Department of Fish and Game: 108 p.
- Morgan, T. A., J.P. Brandt, K.E. Songster, C.E. Keegan III, and G.A. Christensen. (2012). California's forest products industry and timber harvest, 2006. Gen. Tech. Rep. PNW-GTR-866. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 48 p.
- Mote, P.W., A.F. Hamlet, M.P. Clark, and D.P. Lettenmaier. (2005). Declining mountain snowpack in western North America. *Bulletin of the American Meteorological Society*. January 2005. 39-49.
- Mote, P.W. and E.P. Salathé, Jr. (2010). Future Climate in the Pacific Northwest. *Climatic Change*. DOI 10.1007/s10584-010-9848-z. Springer. 22 p.
- Moyle, P.B. (2002). Salmon and Trout, Salmonidae - Rainbow Trout, (*Oncorhynchus mykiss*) in: *Inland Fishes of California*. Los Angeles, California: University of California Press, 271-282.
- Moyle, P.B., J.A. Israel, et al. (2008). Salmon, Steelhead, and Trout in California - Status of an Emblematic Fauna. R. c. b. C. Trout. University of California, Davis, CA, Center for Watershed Sciences: 316.
- Moyle, P.B., J.D. Kiernan, P.K. Crain, and R.M. Quiñones (University of California, Davis). (2012). Projected Effects of Future Climates on Freshwater Fishes of California. California Energy Commission. Publication number: CEC-500-2012-028. 60 p.
- Moyle, P.B. and M.D. Morford (1991). Salmon, steelhead, smelt, and sturgeon in California: endangered resources. A report for the Amer. Fish. Soc., Pacific Coast Fed. of Fishermen's Associations, United Anglers of Calif., Trout Unlimited of Calif., Calif. Trout, and the Bay Institute. Sausalito, CA: 19.
- Moyle, P.B. and G.M. Sato. (1991). On the design of preserves to protect native fishes. pp. 155-169 *In*: W. L. Minckley and J. E. Deacon (eds.), *Battle against extinction, native fish management in the American West*. The University of Arizona Press, Tucson, Arizona. 415-474.
- Moyle, P.B., R.M. Yoshiyama, et al. (1995). Fish Species of Special Concern in California. Final Report for Contract No. 2128IF. Prepared for the State of California, The Resources Agency, Department of Fish and Game, Inland Fisheries Division. Rancho Cordova: 277.
- Mozingo, J. (2012). Veteran Emerald Triangle pot growers see their way of life ending. *Los Angeles Times*. December 23, 2012. <http://articles.latimes.com/2012/dec/23/local/la-me-pot-enviro-20121223>
- Murphy, G. I. and J. J.W. De Witt (1951). Notes on the fishes and fishery of the lower Eel River, Humboldt County, California. California Department of Fish and Game: 30.
- Murphy, M. L. (1995). Forestry Impacts on Freshwater Habitat of Anadromous Salmonids in the Pacific Northwest and Alaska - Requirements for Protection and Restoration. NOAA Coastal Ocean Program. Decision Analysis Series No. 7: 178.
- Murphy, M. L. and K. V. Koski. (1989). Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9: 427-436.
- Murphy, M.L. and W.R. Meehan. (1991). Stream Ecosystems. Chapter 2 in: Meehan, W., Ed. *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society, Special Publication Number 19, Bethesda, Maryland.
- Nakamoto, R.J. and B.C. Harvey (2003). Spatial, seasonal, and size-dependent variation in the diet of Sacramento pikeminnow in the Eel River, northwestern California. *California Fish and Game* 89(1): 30-45.
- National Marine Fisheries Service (NMFS). (1996). Coastal Salmon Conservation: Working guidance for comprehensive salmon restoration initiatives on the Pacific Coast. NOAA Fisheries: 5.

- National Marine Fisheries Service (NMFS). (2001). Guidelines for Salmonid Passage at Stream Crossings. National Oceanographic and Atmospheric Administration, Southwest Region. 14 p.
- National Marine Fisheries Service (NMFS). (2002). Biological Opinion - Repair of Benbow Dam in 2002 and Operation of Benbow Dam from 2003 through 2007. Department of Commerce, Southwest Region: 77.
- National Marine Fisheries Service (NMFS). (2011a). Southern Oregon/Northern California Coast Recovery Domain 5-Year Review: Summary and Evaluation of *Southern Oregon/Northern California Coast Coho Salmon ESU*. Southwest Region. Long Beach, CA, National Oceanographic and Atmospheric Association, U.S. Department of Commerce: 59.
- National Marine Fisheries Service (NMFS). (2011b). North-Central California Coast Recovery Domain 5-Year Review: Summary and Evaluation of *California Coastal Chinook ESU* and *Central California Coast Coho Salmon ESU*. Southwest Region. Long Beach, CA, National Oceanic and Atmospheric Administration, U.S. Department of Commerce: 54.
- National Marine Fisheries Service (NMFS). (2011c). North-Central California Coast Recovery Domain 5-Year Review: Summary and Evaluation of *Central California Coastal Steelhead DPS* and *Northern California Steelhead DPS*. Southwest Region. Long Beach, CA, National Oceanic and Atmospheric Association, U.S. Department of Commerce: 67.
- National Oceanographic and Atmospheric Association Restoration Center (NOAA RC). (2011). Program to Facilitate Implementation of Fisheries Restoration Projects Occurring in the Northern California Field Office Region of NOAA's National Marine Fisheries Service. Submitted by US Army Corps of Engineers and NOAA RC Feb. 1, 2011. 133 p.
- National Wildfire Coordinating Group (NWCG) (2002). Gaining and Understanding of the National Fire Danger Rating System. US Department of Agriculture, US Department of the Interior and National Association of State Foresters: 82.
- Nehlsen, W., J.E. Williams, and J.A. Lichatowich. (2001). Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16 (2): 4-21.
- Nielsen, J.L., T.E. Lisle, and V. Ozaki. (1994). Thermally stratified pools and their use by steelhead in northern California streams. *Transactions of the American Fisheries Society* 123: 613-626.
- Nielsen, J. L., M. Maas, et al. (1991). Anadromous salmonid resources of Mendocino coastal and inland rivers 1989-1990. An evaluation of rehabilitation efforts based on carcass recovery and spawning activity. Draft Report to California Department of Fish and Game, Inland Habitat Surveys, Standard Agreement No. FG9364: 113.
- North Coast Regional Water Quality Control Board (NCRWQCB) (2005). Watershed Planning Chapter, Eel River Watershed Management Area. Section 2.5: 161-176.
- North Coast Regional Water Quality Control Board (NCRWQCB) (2011). Water Quality Control Plan for the North Coast Region. Santa Rosa, California.
- Ogle, B. A. (1953). Geology of Eel River valley area, Humboldt County, California. State of California Department of Natural Resources, Division of Mines: 67 p.
- O'Hara, S. J. P. and D. Stockton (2012). Humboldt Redwoods State Park. Images of America. Charleston, South Carolina, Arcadia Publishing: 125 p.
- O'Loughlin, C. and R.R. Ziemer. (1982). The Importance of root strength and deterioration rates upon edaphic stability in steep-land forests. Proceedings of I.U.F.R.O. Workshop P.1.07-00 Ecology of Subalpine Ecosystems as a Key to Management. 2-3 August 1982, Corvallis, Oregon. Oregon State University, Corvallis, Oregon. pp. 70-78.
- Opperman, J., A. Merenlender, and D. Lewis. (2006). Maintaining wood in streams: a vital action for fish conservation. University of CA Division of Agriculture and Natural Resources, UC Davis. Publication 8157. 11 p.

- Pacific Watershed Associates (PWA) (2001). Summary Report, S.B. 271 East Branch South Fork Eel River/Reed Mountain erosion assessment and erosion prevention planning project, Humboldt County, California. Prepared for East Branch Road Association and CDFG. 30 p.
- Pacific Watershed Associates (PWA) (2005). Evaluation of Road Decommissioning, CDFG Fisheries Restoration Grant Program, 1998 to 2003. CA Department of Fish and Game Contract #P0210559. 91 p.
- Pacific Watershed Associates (PWA) (2010). Hollow Tree Creek Watershed Restoration Implementation Project, Phase IV. CDFG Contract #P0610524. Appendix C: pre- and post-implementation photographs.
- Packer, D. B., K. Griffin, et al. (2005). National Marine Fisheries Service National Gravel Extraction Guidance, NOAA Fisheries.
- Parks, J. (2011). Mendocino County: Big Chinook Salmon Count Rises Thanks to PG&E Protection. News and Perspectives from Pacific Gas and Electric Company.
- Pilliod, D.S., R.B. Bury, et al. (2003). Fire and amphibians in North America. *Forest Ecology and Management* 178: 163-181.
- Pilliod, D.S. and P.S. Corn. (2003). Effects of fire and fuel reduction on stream ecosystems in western forests. 2003 study plan for Bitterroot National Forest, Montana, and Payette National Forest, Idaho. 20 p.
- Pitlick, J. and P. Wilcock. (2001). Relations between streamflow, sediment transport, and aquatic habitat in regulated rivers. *Geomorphic Process and Riverine Habitat Water Science and Application*. American Geophysical Union. Volume 4; 185-198.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross, and R.M. Hughes. (1989). Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C. EPA 440-4-89-001.
- Platts, W. S., W. F. Megahan, et al. (1983). Methods for evaluating stream, riparian, and biotic conditions. General Technical Report INT-138. USFS Intermountain Forest and Range Experiment Station. Ogden, UT: 76 p.
- Poff, N. L., J. D. Allan, et al. (1997). The Natural Flow Regime - A paradigm for river conservation and restoration. *BioScience* 47(11): 769-784.
- Poole, G. C. and C.H. Berman. (2001). An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management* 27(6): 787-802.
- Poole, G., J. Risley, and M. Hicks. (2001). Spatial and temporal patterns of stream temperature (revised). US Environmental Protection Agency Issue paper 3, prepared as part of EPA Region 10 Temperature Water Quality Criteria Guidance Development Project. EPA-910-D-01-003. 35 p.
- Power, M. E. (2003). Bed texture, food web structure, and juvenile salmonid rearing in North Coast California rivers. Technical Completion Reports. University of California Water Resources Center, U.C. Berkeley.
- Power, M.E., R. Lowe, et al. (2009). Algal mats and insect emergence in rivers under Mediterranean climates: towards photogrammetric surveillance. *Freshwater Biology* 54: 2101-2115.
- Powers, P. and J. Orsborn. (1985). New concepts in fish ladder design: analysis of barriers to upstream fish migration. Investigation of the physical and biological conditions affecting fish passage success at culverts and waterfalls, 1982-1984 final report, Bonneville Power Association. Volume IV: 134.
- Pryor, I. and R. McPhearson (2006). Seismicity and Stress Near the Mendocino Triple Junction, Pacific Cell Friends of the Pleistocene Field Trip Guidebook, The Triangle of Doom: Signatures of Quaternary Crustal Deformation in the Mendocino Deformation Zone (MDZ). Arcata, CA.

- Puckett, L. (1975). Sport fisheries of the Eel River, 1972-73. Memorandum Report. California Department of Fish and Game. Sacramento, California: 29.
- Puckett, L. (1976). The Eel River - observations on morphometry, fishes, water quality and invertebrates. Memorandum report. California Department of Fish and Game: 21.
- Puckett, L. (1977). The Eel River - observations on morphometry, fishes, water quality and invertebrates. Memorandum report. California Department of Fish and Game.: 21 p.
- Quinn, T.P., R.S. Nesmeth, and D.O. McIssac. (1991). Homing and straying patterns of fall Chinook salmon in the lower Columbia River. Transactions of the American Fisheries Society 120: 150-156.
- Reese, C. D. and a. B. C. Harvey (2002). Temperature-dependent interactions between juvenile steelhead and Sacramento pikeminnow in laboratory streams. Transactions of the American Fisheries Society 131: 599-606.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. (1995). A Disturbance-Based Ecosystem Approach to Maintaining and Restoring Freshwater Habitats of Evolutionarily Significant Units of Anadromous Salmonids in the Pacific Northwest. American Fisheries Society Symposium 17: 334-349.
- Reeves, G.H., F.H. Everest, and T.E. Nickelson. (1989). Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. USFS General Technical Report PNW-GTR-245. 23 p.
- Reice, S.R. (1994). Non-equilibrium determinants of biological community structure. American Scientist 82: 424-435.
- Reynolds, K. (1999). EMDS users guide (version 2.0): knowledge-based decision support for ecological assessment. Gen. Tech. Rep. PNW-GTR-470. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 63 p.
<http://www.fsl.orst.edu/emds/download/gtr470.pdf>
- Reynolds, K., P. Cunningham., L. Bednar, M. Saunders, M. Foster, R. Olson, D. Schmoltd, D. Latham, B. Miller, and J. Steffenson. (1996). A Design Framework for a Knowledge-based Information Management System for Watershed Analysis in the Pacific Northwest U.S. *AI Applications*, 10, 9-22.
- Reynolds, F., T. Mills., et al. (1981). Van Duzen River waterway management plan, California Department of Fish and Game: 156 p.
- Richter, A. and S. A. Kolmes (2005). Maximum Temperature Limits for Chinook, Coho, and Chum Salmon, and Steelhead Trout in the Pacific Northwest. Reviews in Fisheries Science 13: 23-49.
- Ricker, S., K. Lindke, et al. (2014a). Results of regional spawning ground surveys and estimates of total salmonid redd construction in the South Fork Eel River, Humboldt County California, 2010. Coastal Salmonid Monitoring Program Annual Report: 33.
- Ricker, S., K. Lindke, et al. (2014b). Results of regional spawning ground surveys and estimates of total salmonid redd construction in the South Fork Eel River, Humboldt County California, 2011. Coastal Salmonid Monitoring Program Annual Report: 35.
- Ricker, S., K. Lindke, et al. (2014c). Results of regional spawning ground surveys and estimates of total salmonid redd construction in the South Fork Eel River, Humboldt County California, 2012. Coastal Salmonid Monitoring Program Annual Report: 33.
- Ricker, S., K. Lindke, et al. (2014d). Results of regional spawning ground surveys and estimates of total salmonid redd construction in the South Fork Eel River, Humboldt County California, 2013. Coastal Salmonid Monitoring Program Annual Report: 34.
- Rieman, B. E. and D.J. Isaak. (2010). Climate change, aquatic ecosystems, and fishes in the Rocky Mountain West: implications and alternatives for management. Gen. Tech. Rep. RMRS-GTR-250. Fort

- Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 46 p.
- Ritter, M.E. (2013). The Physical Environment: and Introduction to Physical Geography. Channel Geometry and Flow Characteristics. Accessed 11/13/2013.
http://www.uwsp.edu/geo/faculty/ritter/geog101/textbook/title_page.html
- Roberts, C.R. (1992). Biological conditions in the Eel River delta. Prepared for the Eel River Resource Conservation District and the California State Coastal Conservancy by Oscar Larson and Associates, Eureka, CA.
- Roelofs, T. D., W. J. Trush, et al. (1994). Evaluation of juvenile salmonid passage through Benbow State Recreation Area. Humboldt State University. Arcata, California: 31.
- Roni, P., T. J. Beechie, et al. (2002). A Review of Stream Restoration Techniques and a Hierarchical Strategy for Prioritizing Restoration in Pacific Northwest Watersheds. North American Journal of Fisheries Management 22: 1-20.
- Roni, P., G. Pess, T. Beechie, and S. Morely. (2010). Estimating changes in coho salmon and steelhead abundance from watershed restoration: how much restoration is needed to measurably increase smolt production? North American Journal of Fisheries Management 30:1469-1484.
- Roper, B. B., J. L. Kershner, et al. (2002). An evaluation of physical stream habitat attributes used to monitor streams. Journal of the American Water Resources Association 38(6): 1637-1646.
- Rosgen, D. (1996). Applied river morphology. Wildlife Hydrology, Pagosa Springs, CO.
- Salmonid Restoration Federation (SRF) (2013) The Redwood Creek Water Conservation Project, South Fork Eel River: Report and Updates. SRF eNewsletter July 2013, 6 p.
- Sandercock, F. K. (1991). Life History of Coho Salmon. Pacific Salmon Life Histories. C. Groot and L. Margolis. Vancouver, BC, UBC Press: 395-446.
- Save-the-Redwoods League (2001). North Coastal California: A Stewardship Report. Proceedings from a workshop held at the BLM office in Arcata, CA. San Francisco, CA: 90.
- Scanlon, H. (2007). Progression and Behavior of the Canoe Fire in Coast Redwood. Presented at the Redwood Science Symposium, 2004, Rohnert Park, CA. USDA Forest Service Gen. Tech. Rep. PSW-GTR-194. 9 p.
- Schlosser, S. and A. Eicher (2012). The Humboldt Bay and Eel River Estuary Benthic Habitat Project. California Sea Grant Publication T-075: 246.
- Scott-Goforth, G. (2013). Water tanks show promise in fighting stream diversion: Humboldt County shows interest in loosening regulation. Times-Standard. Eureka, CA.
- Scrimgeour, G.J., Hvenegaard, P., Tchir, J., Kendall, S., Wildeman, A. (2003). Stream fish management: cumulative effects of watershed disturbances on stream fish communities in the Kakwa and Simonette River Basins, Alberta. Report produced by the Alberta Conservation Association (Peace River) and the Alberta Research Council (Vegreville) for the Northern Watershed Project Stakeholder Committee. Northern Watershed Project Final Report No. 3. 126 pp.
- Sedell, J. R., G. H. Reeves, et al. (1990). Role of Refugia in Recovery from Disturbances: Modern Fragmented and Disconnected River Systems. Environmental Management 14(5): 711-724.
- Shapovalov, L., and A.C. Taft. (1954). The Life Histories of the Steelhead Rainbow Trout (*Salmo gairdneri gairdneri*) and Silver Salmon (*Oncorhynchus kisutch*) with Special Reference to Waddell Creek, California, and Recommendations Regarding Their Management. California Department of Fish and Game, Fish Bulletin No. 98. 375 p.
- Snohomish County Public Works (SCPW) (2002). North Creek Drainage Needs Report. Chapter 4 - Habitat Assessment.: 28.

- Sommarstrom, S. (1984). Mendocino County salmon and steelhead management plan. Adopted by the Mendocino County Board of Supervisors February 13, 1984. 101.
- Spence, B. C., G. A. Lomnický, et al. (1996). An ecosystem approach to salmonid conservation. ManTech Environmental Research Services Corporation. Corvallis, OR: 372.
- Steiner Environmental Consulting (SEC) (1998). Potter Valley Project Monitoring Program (FERC No. 77, Article 39). Effects of operations on upper Eel River anadromous salmonids. Prepared for Pacific Gas and Electric Company - Technical and Ecological Services. 3400 Crow Canyon Road, San Ramon, CA 94583.
- Stillwater Sciences. (1997). Preliminary draft: A review of coho salmon life history to assess potential limiting factors and the implications of historical removal of large woody debris in coastal Mendocino County. Prepared for Louisiana-Pacific Corporation. 55 p.
- Stillwater Sciences (1999). South Fork Eel TMDL: Sediment Source Analysis. Berkeley, CA: 64.
- Stillwater Sciences. (2008). 2007 Fisheries monitoring program report for gravel extraction operations on the Mad, Eel, South Fork Eel, Van Duzen, and Trinity rivers, California. Prepared for Humboldt County Gravel Operators. Arcata, CA: 47.
- Stillwater Sciences. (2010). Pacific Lamprey in the Eel River Basin: a summary of current information and identification of research needs. Prepared for the Wiyot Tribe. Arcata, CA. 51 p.
- Strahler, A. N. (1952). Dynamic basis of geomorphology. Geological Society of America Bulletin 63: 923-938.
- Strahler, A.N. (1957). Quantitative analysis of watershed geomorphology. Transactions of the American Geophysical Union 8(6): 913-920.
- Strahler, A.N. (1964). Quantitative geomorphology of drainage basins and channel networks. In: Handbook of applied hydrology. McGraw Hill Book Company. New York. Section 4-II.
- Sullivan, K. and a. S. Chinnici (2009). Draft Biological Assessment of Gravel Bar Mining on the Middle Reach of the Eel River from Howe Creek to Sonoma Creek, Humboldt Redwood Company: 83.
- Sullivan, K., D. J. Martin, et al. (2000). An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute. Portland, Oregon.
- Surfleet, C.G. (2007). Watershed analysis results for Mendocino Redwood Company lands in coastal Mendocino and Sonoma Counties. In: Standiford, Richard B.; Giusti, Gregory A.; Valachovic, Yana; Zielinski, William J.; Furniss, Michael J., technical editors. 2007. Proceedings of the redwood region forest science symposium: What does the future hold? Gen. Tech. Rep. PSW-GTR-194. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; p. 121-132.
- Suttle, K.B., M.E. Power, J.M. Levine, and C. McNeely. (2004). How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. Ecological Applications 14(4): 969-974.
- Sutton, R. and T. Soto (2012). Juvenile Coho Salmon Behavioural Characteristics in Klamath River Summer Thermal Refugia. River Research and Applications 28: 338-346.
- Swanston, D.N. (1991). Natural Processes. Chapter 5 in: Meehan, W., ed.. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Special Publication Number 19, Bethesda, Maryland.
- Swift, C. H. (1976). Estimation of Stream Discharges Preferred by Steelhead Trout for Spawning and Rearing in Western Washington, US Geological Survey Open-File Report 75-155: 55.
- State Water Resources Control Board (SWRCB) (2010). Policy for Maintaining Instream Flows in Northern California Coastal Streams. CA Environmental Protection Agency, Division of Water Rights: 149.
- State Water Resources Control Board (SWRCB) (2013). The Water Rights Process. Retrieved 3/19/2013, from http://www.waterboards.ca.gov/waterrights/board_info/water_rights_process.shtml.

- Syvitski, J. P. and M. D. Morehead (1999). Estimating river-sediment discharge to the ocean: application to the Eel margin, northern California. *Geology* 154: 13-28.
- Taft, A. C. and G. I. Murphy (1950). The life history of the Sacramento squawfish (*Ptychocheilus grandis*), California Fish and Game. 36: 147-164.
- Taylor, R.N. (2000). Final Report: Humboldt County Culvert Inventory and Fish Passage Evaluation. CDFG Contract #FG-7068. IF. 37 p.
- Taylor, R. N. and Associates (Ross Taylor and Associates) (2005). Five Counties Stream Crossing Inventory and Fish Passage Evaluation - Final Report. D. N. Prepared for the Public Works Departments of Humboldt, and Mendocino Counties: 103.
- Taylor, S. N. (1978). The status of salmon populations in California coastal rivers. File Report. California Department of Fish and Game Anadromous Fisheries Branch: 13.
- Tetra Tech, Inc. (2002). Van Duzen watershed analysis, cumulative watershed effects. Tetra Tech, Inc., Arcata, CA. 139 p.
- Tetra Tech, Inc. (2008). Humboldt Operational Area - Hazard Mitigation Plan (HMP) Volume 1, Part 3 - Risk Assessment. Chapter 19 - Wildland Fire: 40.
- Tetra Tech, Inc. (2013) Draft Humboldt County Hazard Mitigation Plan Update. Prepared for Humboldt County Department of Public Works. Tetra Tech, Inc. San Diego, CA. Available at: <http://co.humboldt.ca.us/natural-resources/hazardmitigation/>
- The Forestry Source. (2008). Pacific Lumber Co., Now Humboldt Redwood Co, Has New Owner. September 2008 issue. 1 p.
- Thompson, R.P. and C.A. Dicus. (2005). The Impact of California's Changing Environmental Regulations on Timber Harvest Planning Costs. A report sponsored by The California Institute for the Study of Specialty Crops and The Forest Foundation. 46 p.
- Tillmann, P. and D. Siemann. (2011). Climate change effects and adaptation approaches in freshwater aquatic and riparian ecosystems in the North Pacific landscape conservation cooperative region: A compilation of scientific literature. Phase 1 draft final report. National Wildlife Federation – Pacific Region, Seattle, WA.
- Times-Standard. (2012). Marijuana grow soil dumped near Eel River. Eureka Times-Standard. 11/05/2012. Eureka, CA. http://www.times-standard.com/ci_21930682/marijuana-grow-soil-dumped-near-eel-river#
- Trask, S. (2003). An Approach To Limiting Factors Analysis and Restoration Planning In Sixth Field Sub-Watersheds. A draft report submitted to MidCoast Watersheds Council, Newport, Oregon: 18.
- Trinity Associates. (1996). Historical accounts of the Lower Eel (Wiyot) River: Navigation, fisheries, “angry waters”, land use, and the river environment. Draft report, prepared by Trinity Associates, Arcata, CA. 479 p.
- Trout Unlimited (2013). Nutrients in Aquatic Systems. From <http://www.tu.org/conservation/eastern-conservation/brook-trout/education/nutrients-in-aquatic-systems>.
- Tschaplinski, P. J. (1988). The use of estuaries as rearing habitats by juvenile coho salmon. In Proceedings of a workshop. Applying 15 years of Carnation Creek results. pp. 123 - 142. Edited by Tom Chamberlin. Fisheries Branch. British Columbia Ministry of Environment, Lands, and Parks. 239 p.
- UC Davis (2012). California Fish Species. Retrieved Nov. 19, 2012, from <http://calfish.ucdavis.edu/species/>.
- Ukiah Daily Journal (1978). Petitions circulated to stop nickel mine. Ukiah Daily Journal. Ukiah, CA.
- Underwood, M. B. and S. B. Bachman (1986). Sandstone petrofacies of the Yager Complex and the Franciscan coastal belt, Paleogene of Northern California. *Geological Society of America Bulletin* 97: 809-817.

- US Army Corps of Engineers (USACE). (2004). Letter of permission procedure (LOP 2004-1) for gravel mining and excavation activities within Humboldt County: 37.
- US Bureau of Land Management (USBLM). (1975). Cedar Creek physical and biological stream survey report. August 13, 1975.
- US Bureau of Land Management (USBLM). (1990). California Statewide Wilderness Study Report, CA-050-132, Part 4, Vol. 2.
- US Bureau of Land Management (USBLM), US Forest Service (USFS), et al. (1996). South Fork Eel River Watershed Analysis: 74 plus appendices.
- US Census Bureau. (2000, 2010). 2000 and 2010 Census summary files, and online mapping tools using TIGER and : <http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml>
- US Environmental Protection Agency (USEPA). (1997). Volunteer Stream Monitoring: A Methods Manual, Chapter 4 - Macroinvertebrates and Habitat. Office of Water - online publication.
- US Environmental Protection Agency (USEPA) (1999). South Fork Eel River Total Maximum Daily Loads for Sediment and Temperature: 57.
- US Environmental Protection Agency (USEPA) (2005). National Management Measures to Control Nonpoint Source Pollution from Forestry. Chapter 3. Office of Water. Washington, DC.
- US Environmental Protection Agency (USEPA) (2012). Cyanobacterial Harmful Algal Blooms - Causes, Prevention, and Mitigation. Retrieved November 14, 2012, from <http://water.epa.gov/scitech/swguidance/standards/criteria/nutrients/cyanohabs.cfm>.
- US Environmental Protection Agency (USEPA) (2013). Climate Change: Basic Information. Retrieved 12/11/2013 from: <http://www.epa.gov/climatechange/basics/>
- US Fish and Wildlife Service (USFWS) and National Marine Fisheries Service (NMFS) (1996). Habitat Conservation Planning and Incidental Take Permitting Handbook. US Department of the Interior and US Department of Commerce: 306.
- US Forest Service (USFS). (1985). Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. E. R. Brown.
- US Geological Survey (2006). Quaternary fault and fold database for the United States, U.S. Geological Survey and California Geological Survey.
- Valachovic, Y. (2011). Sudden Oak Death Hot Spot Management in the North Coast of California. California Oak Mortality Task Force, May 25, 2011 meeting presentation. UC Cooperative Extension.
- Valachovic, Y. S., C. A. Lee, et al. (2011). Sudden oak death-caused changes to surface fuel loading and potential fire behavior in Douglas-fir-tanoak forests. *Forest Ecology and Management* 261(2011): 1973-1986.
- Vaughn, H. (1999). The Eel River Salmon Restoration Project: Branching Out - The Trees Foundation affiliate newsletter. Winter 1998-99, 1-2
- Waananen, A. O., D. D. Harris, et al. (1971). Floods of December 1964 and January 1965 in the Far Western States - Part 1. Description. Geological Survey Water-Supply Paper 1866-A, US Geological Survey (USGS).
- Waldron, L.J. (1977). Shear resistance of root-permeated homogenous and stratified soil. *Soil Science Society of America Journal* 41: 843-849.
- Waples, R. S., T. Beechie, et al. (2008). Evolutionary History, Habitat Disturbance Regimes, and Anthropogenic Changes: What do These Mean for Resilience of Pacific Salmon Populations? *Ecology and Society* 14 (1): 3. URL: <http://www.ecologyandsociety.org/vol14/iss1/art3/>
- Weiser, M. (2012). Medical pot growers hurting California forest habitat. *Sacramento Bee*. Sacramento: 1A.

- Westerling, A. L. and B. P. Bryant (2008). Climate change and wildfire in California. *Climate Change* 87(Suppl 1): S231-S249.
- Whiteway, S.L., P.M. Biron, A. Zimmerman, O. Venter, and J.W.A. Grant. (2010). Do in-stream restoration structures enhance salmonid abundance? A meta-analysis. *Canadian Journal of Fisheries and Aquatic Science* 67: 831-841.
- Wild Salmon Center (2012). The California Salmon Stronghold Initiative. Prepared for California Department of Fish and Game by Wild Salmon Center on behalf of the California Stronghold Team: 23.
- Williams, P.B. (1988). An overview of an enhancement program for the Eel River estuary. Prepared for California State Coastal Conservancy, Oakland. Philip Williams & Associates, San Francisco, CA.: 12 p.
- Williams, T. H., B. C. Spence, et al. (2008). Framework for assessing viability of threatened coho salmon in the Southern Oregon/Northern California coast evolutionarily significant unit. US Department of Commerce. NOAA-TM-NMFS-SWFSC-432: 113.
- Wilzbach, M. A. (1989). How Tight is the Linkage Between Trees and Trout? Proceedings of the California Riparian Systems Conference: protection, management, and restoration for the 1990s., Davis, CA, US Forest Service - Pacific Southwest Forest and Range Experiment Station, Berkeley, CA.
- Winter, T.C., J.W. Harvey, O.L. Franke, and W.M. Alley. (1998). Ground Water and Surface Water: A Single Resource. US Geological Survey Circular 1139. 87 p.
- Winzler and Kelly. (2007). Draft water resources technical report for the Humboldt County Community Development Division, Humboldt County General Plan Water Resources Technical Report. 87 p.
- Wohl, E. E., K. R. Vincent, et al. (1993). Pool and riffle characteristics in relation to channel gradient. *Geomorphology* 6: 99-110.
- Woody, C. A. (2007) Copper: Effects on freshwater food chains and salmon. A literature review. 18 p.
- World Health Organization (WHO) (2009). Guidelines for Safe Recreational Water Environments. Volume 1: Coastal and fresh waters: Chapter 8 - Algae and Cyanobacteria in Fresh Water.
- Yee, C. S. and T. D. Roelofs (1980). Planning Forest Roads to Protect Salmonid Habitat. General Technical Report PNW-109, US Forest Service, Pacific Northwest Forest and Range Experiment Station: 32.
- Yoshiyama, Y. M. and P. B. Moyle (2010). Historical Review of Eel River Anadromous Salmonids, With Emphasis on Chinook Salmon, Coho Salmon and Steelhead. A Report Commissioned by California Trout. Center for Watershed Sciences, University of California, Davis, CA: 107.

Map References:

- Davenport, C. W. (1983). DMG Open-File Report 83-41, Geology and Geomorphic Features Related to Landsliding, Noble Butte 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Davenport, C. W. (1984). DMG Open-File Report 83-40, Geology and Geomorphic Features Related to Landsliding, Leggett 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Davenport, C. W. (1984). DMG Open-File Report 84-17, Geology and Geomorphic Features Related to Landsliding, Tan Oak Park 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kelley, F. R. (1983). DMG Open-File Report 83-32, Geology and Geomorphic Features Related to Landsliding, Westport 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kelley, F. R. (1984). DMG Open-File Report 84-14, Geology and Geomorphic Features Related to Landsliding, Lincoln Ridge 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kelley, F. R. (1984). DMG Open-File Report 84-15, Geology and Geomorphic Features Related to Landsliding, Hales Grove 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.

- Kelley, F. R. (1984). DMG Open-File Report 84-16, Geology and Geomorphic Features Related to Landsliding, Piercy 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T. (1983). DMG Open-File Report 83-38, Geology and Geomorphic Features Related to Landsliding, Sherwood Peak 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T. (1983). DMG Open-File Report 83-39, Geology and Geomorphic Features Related to Landsliding, Cahto Peak 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T. (1984). DMG Open-File Report 84-18, Geology and Geomorphic Features Related to Landsliding, Longvale 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T. (1984). DMG Open-File Report 84-40, Geology and Geomorphic Features Related to Landsliding, Iron Peak 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T. (1984). DMG Open-File Report 84-41, Geology and Geomorphic Features Related to Landsliding, Laytonville 7.5' Quadrangle, Mendocino County, California, Scale 1:24,000.
- Kilbourne, R. T., (1985), Geology and Geomorphic Features Related to Landsliding, Hydesville 7.5-Minute Quadrangle, Humboldt County California, Division of Mines and Geology Open File Report 85-02, scale 1:24,000.
- McLaughlin, R. J., S. D. Ellen, et al. (2000). Geology of the Cape Mendocino, Eureka, Garberville, and Southwestern Part of the Hayfork 30 x 60 Minute Quadrangles and Adjacent Offshore Area, Northern California, USGS Miscellaneous Field Studies MF-2336, various scales, 6 plates.
- Spittler, T. E. (1983). DMG Open-File Report 83-03, Geology and Geomorphic Features Related to Landsliding, Bull Creek 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1983). DMG Open-File Report 83-06, Geology and Geomorphic Features Related to Landsliding, Weott 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1983). DMG Open-File Report 83-22, Geology and Geomorphic Features Related to Landsliding, Myers Flat 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1983). DMG Open-File Report 83-25, Geology and Geomorphic Features Related to Landsliding, Miranda 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1983). DMG Open-File Report 83-26, Geology and Geomorphic Features Related to Landsliding, Garberville 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1984). "DMG Open-File Report 84-09, Geology and Geomorphic Features Related to Landsliding, Harris 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000."
- Spittler, T. E. (1984). DMG Open-File Report 84-10, Geology and Geomorphic Features Related to Landsliding, Briceland 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.
- Spittler, T. E. (1984). DMG Open-File Report 84-11, Geology and Geomorphic Features Related to Landsliding, Honeydew 7.5' Quadrangle, Humboldt County, California, Scale 1:24,000.