

## BIBLIOGRAPHY

- Aalto, K. R. 1981. Multistage malange formation in the Franciscan Complex, northernmost California. *Geology* 9:602-607
- Alice Berg and Associates (Berg Associates). 2002. Biological assessment for Southern Oregon/Northern California Coasts Coho Salmon, California Coastal Chinook Salmon, Northern California Steelhead that may be affected by LOP 02-1 Gravel Extraction Operations in Humboldt County, CA. April 30, 2002. Prepared for U.S. Army Corps of Engineers, Eureka, CA.
- Anderson, D. G. 1988. Juvenile salmonid habitat of the Redwood Creek basin, Humboldt County, California. Master's theses. Humboldt State University, Arcata, CA.
- Baigun, C. R., J. Sedell, and G. Reeves. 2000. Influence of water temperature in use of deep pools by summer steelhead in Steamboat Creek, Oregon. *Journal of Freshwater Ecology* 15:269-279.
- Bailey, E. H., W. P. Irwin, and D. L. Jones. 1964. Franciscan and related rocks and their significance in the geology of western California. *California Div. of Mines and Geology Bulletin* 183: 177 p.
- Barnhart, R. A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) - steelhead. USFWS Biol. Rpt. 1. 121pp.
- Bell, E. 2001. Survival, growth and movement of juvenile Coho salmon (*Oncorhynchus kisutch*) over-wintering in alcoves, backwaters, and main channel pools in Prairie Creek, California. Master's thesis. Humboldt State University, Arcata, CA.
- Bilby, R. E. 1984. Removal of woody debris may affect stream channel stability. *Journal of Forestry* 82:609-613.
- Bilby, R. E., and P. A. Bisson. 1998. Functioning and distribution of large woody debris. *River Ecology and Management*. Pages 324-346 in R. J. Naiman and R. E. Bilby, editors. *River Ecology and Management*. Springer, New York.
- Bilby, R. E., and J. W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* 118(4):368-378.
- Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L. Murphy, K. V. Koski, and J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143-190 in E. O. Salo and T. W. Cundy, editors. *Streamside management: forestry and fishery interactions*. Institute of Forest Resources Contribution Number 57, University of Washington, Seattle.
- Bleier, C., Downie, S., Cannata, S., Henly, R., Walker, R., Keithley, C., Scruggs, M.; Custis, K., Clements, J. and R. Klamt. 2003. North Coast Watershed Assessment Program Methods Manual. California Resources Agency and California Environmental Protection Agency, Sacramento, California. 191 pages.

## Coastal Watershed Planning and Assessment Program

- Broszofski, K. D., J. Chen, R. J. Naiman, and J. F. Franklin. 1997. Effects of harvesting on microclimate from small streams to uplands in western Washington. *Ecological Applications* 7:1188-1200.
- Brown, L. R., and P. B. Moyle. 1991. Changes in habitat and microhabitat partitioning with an assemblage of stream fishes in response to predation by Sacramento squaw-fish (*Ptychocheilus grandis*). *Canadian Journal of Fisheries and Aquatic Sciences* 48:849-56.
- Buffington, J. M., T. E. Lisle, and R. D. Woodsmith. 2002. Controls on the grain size and occurrence of pools in coarse-grained forest rivers. *River Research Applications* 18:507-531.
- Baxter, E. R. 1981. Van Duzen River Waterway Management Plan. Submitted to California Department of Fish and Game by California Department of Parks and Recreation.
- Brown, R. G. 1988. Effects of urban stormwater runoff and urbanization of palustrine wetland vegetation. U. S. Fish and Wildlife Service, Washington, DC.
- Brown, J. S. 1988. Patch use as an indicator of habitat preference, predation risk, and competition. *Behavioral Ecology and Sociobiology*. 22:99-113
- California Climate Action Team. 2010. Climate Action Team Report to Governor Schwarzenegger and the California Legislature (December 2010). California Environmental Protection Agency, Sacramento, CA.
- CACSST (California Advisory Committee on Salmon and Steelhead Trout). 1988. Restoring the balance. Annual Report, California Joint Legislative Committee on Fish and Aquaculture, Sacramento, CA.
- CDFG (California Department of Fish and Game). 1956. Report of dissolved oxygen analysis, Yager Creek, Jack Olsen logging show at mouth of Butte Creek. Memo from CDFG biologist Ralph McCormick, Eureka, CA.
- CDFG. 1965c. California Fish and Wildlife Plan, Volume 3, Supporting Data. Part B, Inventory (Salmon-Steelhead and Marine Resources). October 1, 1965.
- CDFG 1952a. Lawrence Creek field note
- CDFG 1956a. Upper Yager Creek water sampling field note
- CDFG 1960. Hely Creek stream survey. Unpublished CDFG memo, Eureka, CA.
- CDFG. 1964. Yager Creek stream survey. Unpublished CDFG memo, Eureka, CA. 2 p.
- CDFG 1964a. Lawrence Creek survey August 26, 1964.
- CDFG 1969. Lawrence Creek field note December 2&3, 1969.
- CDFG 1972. Lawrence Creek field note July 17, 1972.
- CDFG 1979. Memo to CDF from CDFG dated April 18, 1979. Recommendations for instream logging of Hely Creek, THP 1-79-249H.

## Coastal Watershed Planning and Assessment Program

- CDFG 2001. California's living marine resources: a status report. The Resource Agency, The California Department of Fish and Game. University of California, Publication: SG01-11.
- CDFG. 2002. Status review of California coho salmon north of San Francisco. Report to the California Fish and Game Commission. Candidate Species Status Review Report 2002-3. California Department of Fish and Game, Sacramento, CA. 336 p.
- CDFG. 2004 Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. California Department of Fish and Game, Native Anadromous Fish and Watershed Branch, Sacramento, CA. 594 p.
- Cederholm, C. J., L. M. Reid, and E. O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Proceedings of the Washington Water Research Center conference on Salmon-spawning gravel, a renewable resource in the Pacific Northwest?, Pullman, WA 38-74 p.
- CRWQCB. 2001. Technical support document for the Gualala River watershed water quality attainment action plan for sediment. Santa Rosa, CA.
- CDPR, 1981. Appendix C Van Duzen River Waterway Management Plan Cultural History. Submitted to California Department of Fish and Game by California Department of Parks and Recreation. 12 p.
- Duncan, S. H., and J. W. Ward. 1985. A technique for measuring scour and fill of salmon spawning riffles in headwater streams. *Water Resources Bulletin* 21:507-577.
- DWR (California Department of Water Resources). 1976. Van Duzen Basin environmental atlas. Prepared with county of Humboldt Dept. Office of Public Works and North Coast Resources Research. State of California, Resources Agency, Department of Water Resources, Northern District Sacramento.
- DWR. 1981. Draft Van Duzen River waterway management plan. State of California Resources Agency.
- Fisk, L., E. Gurstung, and J. Thomas. 1966. Stream damage surveys. California Department of Fish and Game, Inland Fish Div., Administrative Rep. 66-10: 15 p.
- Flosi, G., S. Downie, J. Hpoelain, M. Bird., R. Coey, and B. Collins. 1998. California salmonid stream habitat restoration manual, 3rd edition. California Department of Fish and Game, Inland Fisheries Division, Sacramento, CA.
- Fox. M. 1994. Draft revisions of the WSA fish module diagnostic matrix: LWD assessment. Muckleshoot Indian Tribe Fisheries Department. Dated June 6, 1994. Reported in PFC (1997).
- Friends of the Van Duzen (Paul Trichilo, lead author and editor). 2010. Toward a working TMDL: a watershed plan for the Van Duzen River Basin. Friends of the Van Duzen River, Carlotta, CA.
- Furniss, M. J., T. S. Ledwith, M. A. Love, B. C. McFadin, and S. A. Flanagan. 1998. Response of roadstream crossings to large flood events in Washington, Oregon,

## Coastal Watershed Planning and Assessment Program

- and northern California. USDA Forest Service San Dimas Technology and Development Center Report 9877-1806.
- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Road construction and maintenance. Pages 297-324 *in* W. R. Meehan, editor. Influences of forest and rangeland management. American Fisheries Society Special Publication 19, Bethesda, Maryland.
- Hicks, B. J., R. L. Beschta, and R. D. Harr. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. *Water Resources Bulletin* 27(2):217-226.
- Hofstra, T. D. 1983. Management alternatives for the Redwood Creek estuary. Redwood Creek management plan, March 1983. U. S. National Parks Service, Redwood National Park, Arcata, CA.
- Hopelain, J. S. 1998. Age, growth, and life history of Klamath River basin steelhead (*Oncorhynchus mykiss irideus*) as determined from scale analysis. California Department of Fish and Game, Inland Fisheries Division, Administrative Report 98-3.
- HRC (Humboldt Redwood Company) 2010. Yager-Lawrence watershed analysis cumulative watershed effects. Public Review Draft. Scotia, CA.
- Keller, E. A., A. MacDonald and T. Tally. 1981. Streams in the coastal redwood environment: the roles of large organic debris. Pages 161-176 *in* R. N. Coates, editor. Proceedings of a Symposium on Watershed Rehabilitation in Redwood National Park and Other Coastal Areas, 1981 August 25-28, Arcata, CA. Sacramento, CA: Center for Natural Resources Studies of JMI, Inc. 161-176.
- Kelsey, H. M. 1977. Landsliding, channel changes, sediment yield and land use in the Van Duzen River Basin, north coastal California. Ph. D. Thesis. University of California, Santa Cruz, CA.
- Kelsey, H. M. 1978. Earthflows in Franciscan mélange, Van Duzen River Basin, California. *Geology* 6:361-364.
- Kilbourne, R. T. 1985 Geology and geomorphic features related to landsliding, Blue Lake 7.5' quadrangle, Humboldt County, California. California Div. of Mines and Geology Open-File Report 85-06.
- Knighton, A. D. 1999. Fluvial form and process. Arnold, Oxford, England.
- Larson, J. P., C. L. Ricks, and T. J. Salamunovich. 1982. Alternatives for restoration of estuarine habitat at the mouth of Redwood Creek, Humboldt County, California. Pages 636-245 *in* C. van Riper III, L. D. Whittig, and M. L. Murphy, editors. Proceedings of the First Biennial Conference on Research in California's National Parks, 1982 September 9-10. University of California, Davis, CA.
- Leopold, L. B. 1994. A view of the river. Harvard University Press, Cambridge, MA.
- Leopold, L. B., and W. W. Emmett. 1997. Bedload and river hydraulics-inferences from the East Fork River, Wyoming. U. S. Geological Survey Professional Paper 1583.

## Coastal Watershed Planning and Assessment Program

- Leos, R., and T. Mills 1983. Salmon Spawning stock surveys in the Eel River Basin 1982-83. Status Report of California Wild and Scenic Rivers Salmon and Steelhead Fisheries. California Department of Fish and Game, Inland Fisheries Division, Sacramento, CA.
- Likens, G. E., and R. E. Bilby. 1982. Development, maintenance and role of organic debris dams in New England streams. Pages 122-128 *in* F. J. Swanson, R. J. Janda, T. Dunne, and D. W. Swanson, editors. Sediment budgets and routing in forested drainage basins. USDA Forest Service General Technical Report PNW-141.
- Lisle, T. E. 1982. Effects of aggradation and degradation on riffle-pool morphology in natural gravel channels, northwestern California. *Water Resources Research* 18:1643-1651.
- Madej, M. 1984. Recent changes in channel-stored sediment, Redwood Creek, California. U. S. National Parks Service Technical Report No. 11. Redwood National Park, Orick, CA.
- Madeg, M. A., and V. Ozaki. 1998. Channel response to sediment wave propagation and movement, Redwood Creek, California, USA. *Earth Surface Processes and Landforms* 21:911-927.
- McEwan, D., and T. A. Jackson. 1996. Steelhead restoration management plan for California. Department of Fish and Game, Inland Fisheries Division, Sacramento, CA.
- McElhaney, P., M. H. Ruckleshaus, M. J. Ford, T. C. Wainright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. NOAA Technical Memorandum NMFS-NWFSC-42.
- McMahon, T. E. 1983. Habitat suitability index models: Coho salmon. Department of the Interior, U. S. Fish and Wildlife Service Report FWS/OBS-82/10.49.
- Meehan, W. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Special Publication Number 19, Bethesda, Maryland.
- Montgomery, D. R., and J. M. Buffington. 1993. Channel classification, prediction of channel response, and assessment of channel condition. Department of Geological Sciences and Quaternary Research Center.
- Montgomery, D.R. and J. M. Buffington. 1997. Channel reach morphology in mountain drainage basins. *Geological Society of America Bulletin* 109(5):596-611.
- Montgomery, D. R., and L. H. Macdonald. 2002. Diagnostic approach to stream channel assessment and monitoring. *Journal of the American Water Resources Association* 38:1-16.
- Moore, D. 1999. Yager/Van Duzen historical narratives. Humboldt County Resources Conservation Service, Eureka, CA.

## Coastal Watershed Planning and Assessment Program

- Moyle, P. B., R. M. Yoshiyama, J. E. Williams and E. D. Wikramanayake. 1995. Fish species of special concern in California, 2nd edition. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova, CA.
- Moyle, P.B. Inland fishes of California. University of California Press, Berkeley, CA.
- Naiman, R. J. 1998. Biotic stream classification. *In* R. J. Naiman and R. E. Bilby, editors. River ecology and management: Lessons from the Pacific coastal ecoregion. Springer-Verlag, New York.
- Nicholas, J. W., and D. G. Hankin. 1988 Chinook salmon populations in Oregon coastal river basins: description of life histories and assessment of recent trends in run strengths. Oregon Department of Fish and Wildlife, Fish Div. Information Report 88-1: 359 p.
- Nielsen, J. L., T. E. Lisle, and V. Ozaki. 1994. Thermally stratified pools and their use by steelhead in northern California streams. Transactions of the American Fisheries Society 123: 613-626.
- NMFS (National Marine Fisheries Service). 1995. Endangered Species Act Section 7 Biological Opinion on the Land and Resource Management Plans for the Boise, Challis, Nez Perce, Payette, Salmon, Sawtooth, Umatilla, and Wallowa-Whitman National Forests. Memo to USFS Regional Foresters on March 1, 1995. NMFS, National Oceanic and Atmospheric Administration, Northwest Region, Seattle, WA. 138 p.
- NMFS. 2012. Public draft recovery plan for Southern Oregon/Northern California Coast coho salmon (*Oncorhynchus kisutch*). Natural Marine Fisheries Service. Arcata, CA.
- Nolan, K. M., T.E. Lisle, and H. M. Kelsey. 1987. Bankfull discharge and sediment transport in northwestern California. Pages 439-449 in R. Beschta, T. Blinn, G. E. Grant, F. J. Swanson, and G. G. Ice, editors. Erosion and sedimentation in the Pacific Rim. (Proceedings of the Corvallis Symposium, August 1987). International Association of Hydrological Sciences Pub. No. 165.
- Pacific Watersheds Associates (PWA). 1992. Shaw Creek watershed assessment report. An erosion Inventory and plan of action for erosion prevention and erosion control in thh Shaw Creek Watershed Humboldt County, California.
- Platts, W. S., C. Armour, G. D. Booth, M. Bryant, J. L. Bufford, P. Culpin, S. Jensen, G. W. Lienkaemper, G. W. Minshall, S. B. Monsen, R. L. Nelson, J. R. Sedell, and J. S. Tuhy. 1987. Methods for evaluating riparian habitats and applications to management. USDA Forest Service Intermountain Research Station, Ogden, UT. General Technical Report INT-221: 187 p.
- Rainville, R. P., S. C. Rainville, and E. L. Lider. 1985. Riparian silvicultural strategies for fish habitat emphasis. Proceedings of the Society of American Foresters Annual Convention (1985), Washington, D.C.:786-196 p.

## Coastal Watershed Planning and Assessment Program

- Rantz, S. E. 1968. Average annual precipitation and runoff in the north coastal California. U. S. Department of Interior Geological Survey Hydrologic Investigations Atlas HA-298: 1 p.
- Reid, L. M., and S. Hilton. 1998. Buffering the buffer. Proceedings of the conference on coastal watersheds: the Casper creek story. USFS Pacific Southwest Forest and Range Experiment Station, Redwood Sciences Lab, Arcata, CA.
- Reeves, G H., F. H. Everest, and J. R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. Transactions of the American Fisheries Society 122:309-317.
- Rosgen, D. 1996. Applied river morphology. Wildlife Hydrology, Pagosa Springs, CO.
- Reynolds F. L. 1983. 1983 Status report of California wild and scenic river salmon and steelhead fisheries. California Department of Fish and Game.
- Rosenfield, P., T. J. Beechie, R. E. Bilby, F. E. Leonetti, M. M. Pollock, and G. R. Press. 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in the Pacific Northwest watersheds. North American Journal of Fisheries Management 22:1-20.
- Sedell, J. R., P. A. Bisson, F. J. Swanson, and S. V. Gregory. 1988. What we know about large trees that fall into streams and rivers. Pages 47-151 *in* from the forest to the sea: A story of fallen trees. USDA, Forest Service and USDI, Bureau of Land Management, General Technical Report PNW-GTR-229, Portland, OR.
- Sedell, J. R., J. E. Yuska, and R. W. Speaker. 1984. Habitats and salmonid distribution in pristine, sediment-rich river valley systems: South Fork Hooh and Wueets River, Olympic National Park. Pages 33-45 *in* W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, editors. Fish and wildlife relationships in old-growth forests. American Institute of Fishery Research Biologists, Juneau, Alaska.
- Shapovalov, L., and A. C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. California Department of Fish and Game, Inland Fisheries Division, Fish Bulletin 98: 375 p.
- Spence, B.C., G.A. Lomnický, R.M. Hughes and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501 96-6057. Man Tech Environmental Research Services Corp., Corvallis, OR. 356 p.
- Steiner Environmental Consulting (SEC). 1998. Potter Valley Project Monitoring Program (FERC No.77, Article 39). Effects of operations on upper Eel River anadromous salmonids. Final Report. March 1998. Prepared for Pacific Gas and Electric Company, Technical and Ecological Services, 3400 Crow Canyon Road, San Ramon, CA, 94583.
- Strahler, A. N. 1952. Dynamic basis of geomorphology. Geological Society of America Bulletin 63: 923-938.

## Coastal Watershed Planning and Assessment Program

- Swanson, F. J., L. E. Benda, S. H. Duncan, G. E. Grant, W. F. Megahan, L. M. Reid, and R. R. Zimmer. 1987. Mass failures and other processes of sediment production in Pacific Northwest forest landscapes. Pages 39-97 *in* E. O. Salo and T. W. Cundy, editors. *Streamside management: forestry and fishery interactions*. College of Forestry Resources, University of Washington, Seattle, WA.
- Taft A.C. 1933. California steelhead trout problems. *California Fish and Game* vol 19 no. 3.
- Taylor, R.N. 2000. Final Report: Humboldt County culvert inventory and fish passage evaluation. Ross Taylor and Associates, McKinleyville, CA.
- Tetra Tech, 2002. Van Duzen watershed analysis, cumulative watershed effects. Tetra Tech, Inc., Arcata, CA.
- U.S. Environmental Protection Agency (USEPA). 1999. The Van Duzen River and Yager Creek Total Maximum Daily Load for Sediment. USEPA, Region IX. San Francisco, CA.
- United States Fish and Wildlife Service (USFWS). 1960. Natural Resources of Northwestern California. Report. Appendix: a preliminary survey of fish and wildlife resources. 104 p.
- Van Kirk, S. 1998. Miscellaneous references compiled on Mattole River valley. Assimilated by Susie Van Kirk.
- Weaver, W. E. and D. K. Hagans. 1994. Handbook for forest and ranch roads: a guide for planning, designing, constructing, reconstructing, maintaining, and closing wildland roads. Mendocino County Resource Conservation District, Ukiah, CA, 161 p.
- Weaver, W. E., D. K. Hagans, and J. H. Pепенoe. 1995. Magnitude and causes of gully erosion in the lower Redwood Creek basin, northwestern California. Pages I1-I21 *in* K. M. C. Nolan, H. M. Kelsey and D. C. Marron, editors. *Geomorphic processes and aquatic habitat in the Redwood Creek basin, northwestern California*. US Geological Survey Professional Paper 1454, Washington, D. C.: 26p.
- Yoshiyama, R.M., and P.B. Moyle. 2010. Historical review of Eel River anadromous salmonids, with emphasis on Chinook salmon, coho salmon and steelhead. Center for Watershed Sciences, University of California, Davis, CA.